



Carron

SIMPLY SOME OF THE FINEST
STOVES AVAILABLE



Antique Enamel Cast Iron Stove (4.7kW)
Carron Stove Smoke Exempt BHC307



Pebble Enamel Cast Iron Stove (4.7kW)
Carron Stove Smoke Exempt BHC316
Log Store BHC338



Ash Grey Enamel Cast Iron Stove (4.7kW)
Carron Stove Smoke Exempt BHC344
Log Store BHC340



Blue Enamel Cast Iron Stove (4.7kW)
Carron Stove Smoke Exempt CRA305
Log Store BHC335



Teal Enamel Cast Iron Stove (4.7kW)
Carron Stove Smoke Exempt CRA347



China Blue Enamel Cast Iron Stove (4.7kW)
Carron Stove Smoke Exempt BHC346
Log Store BHC342



Sage Green Enamel Cast Iron Stove (4.7kW)
Carron Stove Smoke Exempt BHC343
Log Store BHC339



Red Enamel Cast Iron Stove (4.7kW)
Carron Stove Smoke Exempt Log Store BHC303
BHC333



Cream Enamel Cast Iron Stove (4.7kW)
Carron Stove Smoke Exempt Log Store BHC306
BHC336



Black Enamel Cast Iron Stove (4.7kW)
Carron Stove Smoke Exempt Log Store BHC302
BHC332



Green Enamel Cast Iron Stove (4.7kW)
Carron Stove Smoke Exempt Log Store BHC304
BHC334

Stove Features

Approved for use in smoke exempt zones when burning wood

76% efficient when burning wood

Secondary air inlet for cleaner glass and improved combustion

Multi fuel grate

No additional room ventilation required

External riddle grate mechanism with removable handle

Adjustable door handle to allow for fire rope compression

Available in 11 enamel finishes as well as standard matt black

4 piece fire clay brick lined inner

Large flame picture window

Top flue only

Suitable for use with a 12mm hearth

Maximum log length 250mm

Carron Stove (4.7kW)

Gun Metal/Black Cast Iron Stove (4.7kW)
Carron Stove Smoke Exempt Log Store BHC301
BHC331





Red Enamel Cast Iron Stove (7.3kW)
Carron Stove Smoke Exempt BHC103
Log Store BHC133



Blue Enamel Cast Iron Stove (7.3kW)
Carron Stove Smoke Exempt BHC105
Log Store BHC135



Gun Metal/Black Cast Iron Stove (7.3kW)
Carron Stove Smoke Exempt BHC101
Log Store BHC131



Teal Enamel Cast Iron Stove (7.3kW)
Carron Stove Smoke Exempt CRA147



China Blue Enamel Cast Iron Stove (7.3kW)
Carron Stove Smoke Exempt BHC146



Sage Green Enamel Cast Iron Stove (7.3kW)
Carron Stove Smoke Exempt BHC143



Ash Grey Enamel Cast Iron Stove (7.3kW)
Carron Stove Smoke Exempt BHC144



Cream Enamel Cast Iron Stove (7.3kW)
Carron Stove Smoke Exempt BHC106
Log Store BHC136



Pebble Enamel Cast Iron Stove (7.3kW)
Carron Stove Smoke Exempt BHC116
Log Store BHC138



Green Enamel Cast Iron Stove (7.3kW)
Carron Stove Smoke Exempt BHC104
Log Store BHC134



Black Enamel Cast Iron Stove (7.3kW)
Carron Stove Smoke Exempt BHC102
Log Store BHC132

Stove Features

Approved for use in smoke exempt zones when burning wood

79.3% efficient when burning wood

Secondary air inlet for cleaner glass and improved combustion

Multi fuel grate

Adjustable feet to allow levelling of stove

External riddle grate mechanism with removable handle

Adjustable door handle to allow for fire rope compression

Available in 11 enamel finishes as well as standard matt black

4 piece fire clay brick lined inner

Large flame picture window

Top or rear flue options

Suitable for use with a 12mm hearth

Maximum log length 250mm

Carron Stove (7.3kW)

Antique Enamel Cast Iron Stove (7.3kW)
Carron Stove Smoke Exempt BHC107
Log Store BHC137





Red Enamel Cast Iron Stove (5kW)
Dante Stove Smoke Exempt BHC203



Green Enamel Cast Iron Stove (5kW)
Dante Stove Smoke Exempt BHC204



Blue Enamel Cast Iron Stove (5kW)
Dante Stove Smoke Exempt BHC205



Ash Grey Enamel Cast Iron Stove (5kW)
Dante Stove Smoke Exempt BHC244



China Blue Enamel Cast Iron Stove (5kW)
Dante Stove Smoke Exempt BHC246



Sage Green Enamel Cast Iron Stove (5kW)
Dante Stove Smoke Exempt BHC243



Cream Enamel Cast Iron Stove (5kW)
Dante Stove Smoke Exempt BHC206



Black Enamel Cast Iron Stove (5kW)
Dante Stove Smoke Exempt BHC202



Gun Metal/Black Cast Iron Stove (5kW)
Dante Stove Smoke Exempt BHC201

Stove Features

Approved for use in smoke exempt zones when burning wood

76.9% efficient when burning wood

Secondary air inlet for cleaner glass and improved combustion

Multi fuel grate

No additional room ventilation required

External riddle grate mechanism with removable handle

Adjustable door handle to allow for fire rope compression

Available in 9 enamel finishes as well as standard matt black

3 piece fire clay brick lined inner

Large flame picture window

Top flue only

Suitable for use with a 12mm hearth

Maximum log length 250mm

Dante Stove (5kW)



Pebble Enamel Cast Iron Stove (5kW)
Dante Stove Smoke Exempt BHC216



Sage Green Enamel Cast Iron Stove (11kW)
Carron Stove Smoke Exempt BHC643



China Blue Enamel Cast Iron Stove (11kW)
Carron Stove Smoke Exempt BHC646



Ash Grey Enamel Cast Iron Stove (11kW)
Carron Stove Smoke Exempt BHC644



Gun Metal/Black Cast Iron Stove (11kW)
Carron Stove Smoke Exempt BHC601



Red Enamel Cast Iron Stove (11kW)
Carron Stove Smoke Exempt BHC603



Green Enamel Cast Iron Stove (11kW)
Carron Stove Smoke Exempt BHC604



Cream Enamel Cast Iron Stove (11kW)
Carron Stove Smoke Exempt BHC606



Blue Enamel Cast Iron Stove (11kW)
Carron Stove Smoke Exempt BHC605

Stove Features

Approved for use in smoke exempt zones when burning wood

77.3% efficient when burning wood

Secondary air inlet for cleaner glass and improved combustion

Multi fuel grate

Adjustable feet to allow levelling of stove

External riddle grate mechanism with removable handle

Adjustable door handle to allow for fire rope compression

Available in 8 enamel finishes as well as standard matt black

4 piece fire clay brick lined inner

Large double door flame picture windows

Top or rear flue options

Requires a 50mm Constructional Hearth

Maximum log length 300mm

Carron Stove (11kW)



Black Enamel Cast Iron Stove (11kW)
Carron Stove Smoke Exempt BHC602



Cream Enamel Cast Iron Stove (5kW)
Darwin Stove CRA706



Gun Metal/Black Cast Iron Stove (5kW)
Darwin Stove CRA701



Black Enamel Cast Iron Stove (5kW)
Darwin Stove CRA702



Red Enamel Cast Iron Stove (5kW)
Darwin Stove CRA703

Carron Darwin (5kW)

Stove Features

All cast iron construction

Multi fuel operation

High 78.5% efficiency
(wood burning)

Effective clean burn with
air-wash

Approved for use in smoke
control zones

Clean aesthetic design

Available in 3 enamel finishes as
well as standard matt black

Large flame picture window

Maximum log length 300mm



Stove Hearths



Glass Curved Front Stove Hearth
HEF297 900x750x12mm (Shown Above)
Glass Rear Extension for 7.3kW
HEF298 900x300x12mm (Shown Above)
Glass Hearth can be painted in any colour of your choice



Travertine Curved Front Stove Hearth
HEF295 900x750x40mm (Shown Above)
Also Available: Rear Extension for 7.3kW
HEF296 900x300x40mm



Glass Curved Front Stove Hearth
HEF297 900x750x12mm (Shown Above, Painted in Red)
Glass Rear Extension for 7.3kW
HEF298 900x300x12mm
Glass Hearth can be painted in any colour of your choice



Sandstone Curved Stove Hearth for 4.7kW
HEF293 900x750x40mm
Sandstone Curved Stove Hearth for 7.3kW
HEF301 900x1050x40mm (Shown Above)





Black Granite Curved Front Stove Hearth
HEF291 900x750x40mm (Shown Above)
Also Available: Rear Extension for 7.3kW
HEF292 900x300x40mm

Back Panel




HEF427 Honed Black Granite 3 Piece Back Panel
(Opening 420x550mm)

Stove Hearth and Back Panel Specifications



HEF427 Honed Black Granite 3 Piece Back Panel

Stove Pipes



90° Swept Elbow - No Door

	5" ø	6" ø
Matt Black	PFS109	PFS115
Black Enamel	PFS110	PFS116
Red Enamel	PFS111	PFS117
Green Enamel	PFS112	PFS118
Blue Enamel	PFS113	PFS119
Cream Enamel	PFS114	PFS120
Pebble Enamel	PFS179	PFS180



135° Swept Elbow - No Door

	5" ø	6" ø
Matt Black	PFS121	PFS127
Black Enamel	PFS122	PFS128
Red Enamel	PFS123	PFS129
Green Enamel	PFS124	PFS130
Blue Enamel	PFS125	PFS131
Cream Enamel	PFS126	PFS132
Pebble Enamel	PFS181	PFS182
Sage Green Enamel	PFS240	PFS244
Ash Grey Enamel	PFS241	PFS245
China Blue Enamel	PFS243	PFS247



90° Swept Elbow - With Door

	5" ø	6" ø
Matt Black	PFS133	PFS139
Black Enamel	PFS134	PFS140
Red Enamel	PFS135	PFS141
Green Enamel	PFS136	PFS142
Blue Enamel	PFS137	PFS143
Cream Enamel	PFS138	PFS144
Pebble Enamel	PFS183	PFS184
Sage Green Enamel	PFS232	PFS236
Ash Grey Enamel	PFS233	PFS237
China Blue Enamel	PFS235	PFS239



Standard Tee With Branch Spigot

	5" ø	6" ø
Matt Black	PFS145	PFS151
Black Enamel	PFS146	PFS152
Red Enamel	PFS147	PFS153
Green Enamel	PFS148	PFS154
Blue Enamel	PFS149	PFS155
Cream Enamel	PFS150	PFS156
Pebble Enamel	PFS185	PFS186
Stainless Steel Tee Cap	PFS157	PFS158



6" Straight Join

	5" ø	6" ø
Matt Black	PFS001	PFS007
Black Enamel	PFS002	PFS008
Red Enamel	PFS003	PFS009
Green Enamel	PFS004	PFS010
Blue Enamel	PFS005	PFS011
Cream Enamel	PFS006	PFS012
Pebble Enamel	PFS161	PFS162

Standard pipe with door

(300mm)	5" ø	6" ø	(600mm)	5" ø	6" ø
Matt Black	PFS061	PFS067	Matt Black	PFS073	PFS079
Black Enamel	PFS062	PFS068	Black Enamel	PFS074	PFS080
Red Enamel	PFS063	PFS069	Red Enamel	PFS075	PFS081
Green Enamel	PFS064	PFS070	Green Enamel	PFS076	PFS082
Blue Enamel	PFS065	PFS071	Blue Enamel	PFS077	PFS083
Cream Enamel	PFS066	PFS072	Cream Enamel	PFS078	PFS084
Pebble Enamel	PFS171	PFS172	Pebble Enamel	PFS173	PFS174

(900mm)	5" ø	6" ø	(600mm)	5" ø	6" ø
Matt Black	PFS085	PFS091	Matt Black	PFS073	PFS079
Black Enamel	PFS086	PFS092	Black Enamel	PFS074	PFS080
Red Enamel	PFS087	PFS093	Red Enamel	PFS075	PFS081
Green Enamel	PFS088	PFS094	Green Enamel	PFS076	PFS082
Blue Enamel	PFS089	PFS095	Blue Enamel	PFS077	PFS083
Cream Enamel	PFS090	PFS096	Cream Enamel	PFS078	PFS084
Antique Enamel	PFS255	PFS188	Sage Green Enamel	PFS204	PFS212
Pebble Enamel	PFS175	PFS176	Ash Grey Enamel	PFS205	PFS213
Sage Green Enamel	PFS220	PFS228	China Blue Enamel	PFS207	PFS215
Ash Grey Enamel	PFS221	PFS229			
China Blue Enamel	PFS223	PFS231			
Teal Enamel	PFS256	PFS258			

(1200mm)	5" ø	6" ø
Matt Black	PFS097	PFS103
Black Enamel	PFS098	PFS104
Red Enamel	PFS099	PFS105
Green Enamel	PFS100	PFS106
Blue Enamel	PFS101	PFS107
Cream Enamel	PFS102	PFS108
Pebble Enamel	PFS177	PFS178



Standard pipe no door

(300mm)	5" ø	6" ø	(600mm)	5" ø	6" ø
Matt Black	PFS013	PFS019	Matt Black	PFS025	PFS031
Black Enamel	PFS014	PFS020	Black Enamel	PFS026	PFS032
Red Enamel	PFS015	PFS021	Red Enamel	PFS027	PFS033
Green Enamel	PFS016	PFS022	Green Enamel	PFS028	PFS034
Blue Enamel	PFS017	PFS023	Blue Enamel	PFS029	PFS035
Cream Enamel	PFS018	PFS024	Cream Enamel	PFS030	PFS036
Pebble Enamel	PFS163	PFS164	Pebble Enamel	PFS165	PFS166
			Sage Green Enamel	PFS200	PFS208
			Ash Grey Enamel	PFS201	PFS209
			China Blue Enamel	PFS203	PFS211


(900mm)	5" ø	6" ø
Matt Black	PFS037	PFS043
Black Enamel	PFS038	PFS044
Red Enamel	PFS039	PFS045
Green Enamel	PFS040	PFS046
Blue Enamel	PFS041	PFS047
Cream Enamel	PFS042	PFS048
Antique Enamel	PFS254	PFS187
Pebble Enamel	PFS167	PFS168
Sage Green Enamel	PFS216	PFS224
Ash Grey Enamel	PFS217	PFS225
China Blue Enamel	PFS219	PFS227
Teal Enamel	PFS257	PFS259

(1200mm)	5" ø	6" ø
Matt Black	PFS049	PFS055
Black Enamel	PFS050	PFS056
Red Enamel	PFS051	PFS057
Green Enamel	PFS052	PFS058
Blue Enamel	PFS053	PFS059
Cream Enamel	PFS054	PFS060
Pebble Enamel	PFS169	PFS170




Carron Stove (4.7kW) Spares

Two versions of this stove are available, please ensure correct parts are ordered.




Carron Stove (4.7kW)




Carron (4.7kW)	Wood Fuel	Smokeless Fuel
Nominal output	4.7kW	4.5kW
Efficiency	76.0%	69.5%
CO at 13% O ₂	0.63%	0.37%
Flue temperature	303°C	238°C
Flue gas mass flow	3.5g/s	6.1g/s
Flue draught	12Pa	12Pa
Weight of stove	55.0kg	55.0kg
Flue required	5"	5"
Hearth temperature	60.6°C	60.6°C
IMPORTANT! Clearances must be adhered to. Failure to do so will damage the stove & invalidate warranty.		
Clearances to:-	Side (mm)	Rear (mm)
Combustibles	450	550
Non combustibles	150	100

Commission Delegated Regulation (EU) 2015/1187 Energy Labelling of Local Space Heaters	
Supplier's Name or Trademark:	JIG UK Ltd
Supplier's Model Identifier:	The Carron SE Wood Stove The Carron Multifuel Stove
Energy Efficiency Class of Model:	A
Nominal Heat Output to Room (kW):	4.7
Nominal Heat Output to Water (kW):	n/a
Net Efficiency (%):	76.0
Energy Efficiency Index (%):	101

Carron Stove (7.3kW) Spares




Carron Stove (7.3kW) Specifications




Carron (7.3kw)	Wood Fuel	Smokeless Fuel
Nominal output	7.3kW	6.6kW
Efficiency	79.3%	71.5%
CO at 13% O ₂	0.33%	0.31%
Flue temperature	309°C	279°C
Flue gas mass flow	5.0g/s	7.4g/s
Flue draught	12Pa	12Pa
Weight of stove	89.4kg	89.4kg
Flue required	6"	6"
IMPORTANT! Clearances must be adhered to. Failure to do so will damage the stove & invalidate warranty.		
Hearth temperature	73.0°C	73.0°C
Clearances to:-	Side (mm)	Rear (mm)
Combustibles	400	500
Non combustibles	150	150

Commission Delegated Regulation (EU) 2015/1187 Energy Labelling of Local Space Heaters	
Supplier's Name or Trademark:	JIG UK Ltd
Supplier's Model Identifier:	Carron Cast Iron Stove
Energy Efficiency Class of Model:	A
Nominal Heat Output to Room (kW):	7.3
Nominal Heat Output to Water (kW):	n/a
Net Efficiency (%):	79.3
Energy Efficiency Index (%):	106

Dante Stove (5kW) Spares




Dante Stove (5kW) Specifications




Dante (5kw)	Wood Fuel	Smokeless Fuel
Nominal output	5kW	4.5kW
Efficiency	76.9%	67.7%
CO at 13% O2	0.64%	0.46%
Flue temperature	268°C	252°C
Flue gas mass flow	4.0g/s	7.1g/s
Flue draught	12Pa	12Pa
Weight of stove	70.5kg	70.5kg
Flue required	6"	6"
Hearth temperature	68.6°C	68.6°C
IMPORTANT! Clearances must be adhered to. Failure to do so will damage the stove & invalidate warranty.		
Clearances to:-	Side (mm)	Rear (mm)
Combustibles	400	400
Non combustibles	150	100

Commission Delegated Regulation (EU) 2015/1187 Energy Labelling of Local Space Heaters	
Supplier's Name or Trademark:	JIG UK Ltd
Supplier's Model Identifier:	Carron Dante SE Wood Stove Carron Dante Multifuel Stove
Energy Efficiency Class of Model:	A
Nominal Heat Output to Room (kW):	5.0
Nominal Heat Output to Water (kW):	n/a
Net Efficiency (%):	76.9
Energy Efficiency Index (%):	103

Carron Stove (11kW) Spares




Carron Stove (11kW) Specifications




Carron (11kW)	Wood Fuel	Smokeless Fuel
Nominal output	11kW	10.6kW
Efficiency	77.3%	69.4%
CO at 13% O ₂	0.35%	0.27%
Flue temperature	370°C	363°C
Flue gas mass flow	6.6g/s	9.9g/s
Flue draught	12Pa	12Pa
Weight of stove	132.5kg	132.5kg
Flue required	6"	6"
Hearth temperature	115.9°C	115.9°C
IMPORTANT! Clearances must be adhered to. Failure to do so will damage the stove & invalidate warranty.		
Clearances to:-	Side (mm)	Rear (mm)
Combustibles	700	1,000
Non combustibles	200	200

Commission Delegated Regulation (EU) 2015/1187 Energy Labelling of Local Space Heaters	
Supplier's Name or Trademark:	JIG UK Ltd
Supplier's Model Identifier:	Carron 11kW SE Wood Stove Carron 11kW Multifuel Stove
Energy Efficiency Class of Model:	A
Nominal Heat Output to Room (kW):	10.9
Nominal Heat Output to Water (kW):	n/a
Net Efficiency (%):	77.3
Energy Efficiency Index (%):	103

Carron Darwin Stove (5kW) Spares



Carron Darwin Stove (5kW) Specifications



Carron (4.7kW)	Wood Fuel	Smokeless Fuel
Nominal output	4.7kW	5kW
Efficiency	78.5%	75.7%
CO at 13% O2	0.28%	0.18%
Flue temperature	295°C	306°C
Flue gas mass flow	5.0g/s	5.0g/s
Flue draught	12Pa	12Pa
Weight of stove	87.0kg	87.0kg
Flue required	5"	5"

IMPORTANT!		
Clearances must be adhered to. Failure to do so will damage the stove & invalidate warranty.		
Clearances to:-	Side (mm)	Above (mm)
Combustibles	350	600*

Commission Delegated Regulation (EU) 2015/1187 Energy Labelling of Local Space Heaters	
Supplier's Name or Trademark:	JIG UK Ltd
Supplier's Model Identifier:	Carron Darwin 5kW Inset Stove
Energy Efficiency Class of Model:	A
Nominal Heat Output to Room (kW):	4.7
Nominal Heat Output to Water (kW):	n/a
Net Efficiency (%):	78.5
Energy Efficiency Index (%):	105

* If the mantle-piece protrudes further than 100mm from the fireplace, then it will be necessary to have further clearance to the top of the stove.

The distance the mantle protrudes past the 100mm should be added to the clearance.

For example, if the mantle protrudes 200mm, the clearance to the mantle should be 700mm.

Warranty

Carron Stoves are supplied with a 3 year stove body and 1 year inner components warranty. This warranty does not cover items considered consumables. These items include door glass, fire bricks, fire rope and grates. The use of incorrect fuels would invalidate this warranty. This appliance must be installed by a HETAS engineer. Proof of purchase and certificate of installation would be required in the case of a warranty claim. Due to limitations of the printing process, colour reproduction of enamel stoves may vary slightly from those shown. Please consult your local stockist for more accurate colour matching. Occasionally the enamel finish can show a crazing/cracking effect on the surface of the stove during use. This effect will normally lessen as the stove cools and should not be considered a defect. This crazing effect can be made worse by incorrect fuel or over-fueling.

Carron stoves

Few things in life give such simple pleasure as the warmth and character a real wood burning stove brings to a home.

Both classic in design and extremely practical, a Carron stove is an efficient and clean way to enjoy the charm of a solid fuel-real fire.

There really is nothing quite like owning a Carron stove.

Quite simply some of the finest stoves available.



For your nearest stockist:
Freephone 0808 129 2224
www.carron.uk.net

